

 **AVANTURAA**
CHOPPERS

 **RUDRA**
MIGHTIEST OF THE MIGHTY





AVANTURAA

CHOPPERS

India's first brand of Luxury Motorcycles

The newest entrant in the last 33 years

ARAI certified, street-legal motorcycles

One of 5 Indian motorcycle manufacturers in the market



The name originates from Sanskrit. Pronounced as Avun-too-raah!

Avanindra is "lord of the world".

Turaa signifies "strength, abundance, determination & power".

The logo is inspired from the Devnagri script with every alphabet conjoining to form the shield.



MIGHTIEST OF THE MIGHTY

Rudra represents the stormy wind and is symbolic of the hunt. It is associated with Lord Shiva and his trusted mount – the raging bull.

The Rudra is empowered with the strength of all these elements coming together in a seamless collaboration. 'Rudra' implying 'the ultimate roar', signifies a raw enchanting power, brought to life by its majestic body type, technical configuration and compelling road presence.





BUILT WITH

The best components globally, by the most trusted original equipment manufacturers.





RUDRA
MIGHTIEST OF THE MIGHTY





HIGHLIGHTS

2025.7cc V-Twin engine by S&S Cycle, USA

6 - piston forged front & rear brake callipers by Beringer, France

ARAI certified. Maharashtra TC registered

Designed by chief design engineer Kevin Alsop (Founder - Big Bear Choppers, USA)

DRL LED turn signals by Kellermann, Germany

Rear suspensions by Progressive, USA

Seats by Mustang, USA

Tyres by Avon, UK

ENGINE

Bore 4.125 in

Compression Ratio 8.9:1

Displacement 2025.7 CC / 124 CI

Engine Type S&S V124, 4 - stroke, air-cooled

Exhaust 2-into-1 catalyst in Muffler

Fuel Economy 17.5 kmpl city/highway combined mileage

Fuel Supply System Single bore electronic fuel injection

Stroke 4.625 in



DIMENSIONS

Fuel Capacity	17 ltrs
Ground Clearance	150 mm
Height	1220 mm
Length	2960 mm
Oil Capacity	3.5 ltrs with filter
Rake	38 degrees
Seat Height	600 mm unladen
Tire Size	Front - 130/60 R23 65V Rear - 280/40 R20 89V
Trail	4.2 in
Weight	346 kg in running order
Wheel Base	2180 mm
Width	920 mm



DRIVETRAIN

Clutch Type	Hydraulic actuated, wet multiplate
Final Drive	2 inch belt
Gear	6 speed

CHASSIS

Brakes	6 - piston fixed - Front & Rear
Frame Type	Steel double cradle
Front Suspension	Telescopic
Rear Suspension	Ride height adjustable spring preload
Wheel Type	Machined, forged aluminium billet: Front 23" Rear 20"



ELECTRIC

3.5" Dual speedometer - odometer (Analog & Digital)

Battery voltage indicator

Clock


Engine diagnostics

Hazard lights

LED DRL indicators

LED head light & tail light

Motion sensor security alarm



OFFICE

Mumbai, Maharashtra

FACTORY

Vasai, Maharashtra

+91 22 4004 4806

info@avanturaachoppers.com

www.avanturaachoppers.com



avanturaachoppers



avanturaachoppers



avanturaachoppr